

# 8 – 9 year old check-up



Patient and Family Education

---

This teaching sheet contains general information only. Talk with your child's doctor or a member of your child's healthcare team about specific care of your child.

## TIPS FOR TAKING CARE OF YOUR CHILD

### PARENTING

- There are many things you can do as a parent to help your child grow up healthy and well adjusted:
  - Give him lots of love and care.
  - Set fair but firm rules.
  - Enforce the rules each time it is needed.
  - Teach your child to be responsible for his actions and to respect others.
  - Teach him your family values and the difference between right and wrong.
- Your child wants and needs your love and your praise. Hug him, and tell him that you love him often. Tell him when he does something that pleases you. Thank him when he does something nice.
- Your child can help around the house. Give him regular jobs, such as doing the dishes and cleaning his room. Have him help with care of pets.
- Read with your child each day. Let him choose the stories. Visit a nearby library often.
- Doing well in school is important to your child. Talk with your child each day about what happened at school and about his friends. Be positive, and support your child.
  - Make sure he completes any homework.
  - Stay in touch with teachers, and ask for updates on your child's progress.
- Take time out for yourself. Ask someone you trust to watch your child while you do something alone, with your spouse or with a friend.
- Be sure to check out the background of caregivers you do not know.
- If your child does not behave, be calm but firm. Set a good example of how you want him to behave.
  - If he refuses to listen to you, set consequences. Take a privilege away, such as TV time.
  - Be consistent. Only make rules that you can carry out. If you say you are going to do something, do it.

### DEVELOPMENT

- Help your child learn to make good decisions. Teach him how to think things through and decide what the right thing is to do.
- Make time for your child to have fun. Your child may enjoy doing crafts, sports or learning to swim or dance.
- Friends are very important to your child. Provide supervised play times for him with neighbors or schoolmates.
- Teach your child how to save money for something he wants in the future. Give him a plastic jar, cardboard box or bank to keep his money safe in his room.
- Watch TV with your child, and ask him questions about what he sees. Choose shows without violence or sex. Do not allow a TV set in his bedroom.

In case of an urgent concern or emergency, call 911 or go to the nearest emergency department right away.

## 8 – 9 year old check-up, continued

---

- Supervise what your child does on the computer. Place the computer in a common room.
- Your child may begin asking questions about sex. Be honest, and provide simple answers. Make sure your child knows that he can come to you with his questions.

### SAFETY

- Smoking
  - Do not smoke at home or in the car.
  - Keep your child away from cigarette smoke. Breathing in second-hand smoke can cause asthma, ear infections and other breathing problems.
  - Keep matches and lighters out of reach.
- Home
  - Install smoke and carbon monoxide detectors. Change the batteries twice a year.
  - Teach your child about fire safety. Have a home fire escape plan for your family, and practice it often.
  - Keep medicines and cleaning products locked up and out of reach.
  - Supervise your child in the kitchen at all times. Do not allow him to cook by himself.
  - Teach him not to open the door for a stranger.
  - Keep guns and bullets locked up and out of reach.
- Car
  - If your child is less than 4 feet, 9 inches tall, make sure he rides in a booster seat every time you go driving, no matter how short the trip.
  - Booster seats make the seat belt fit your child correctly to help prevent injury.
  - Follow both the car owner's manual and the child safety seat directions for how to use the seat correctly.
  - If your child is more than 4 feet, 9 inches tall, make sure he uses a seatbelt every time you go driving, no matter how short the trip.
  - Keep your child in the backseat. Children should ride in the back seat until they are 13 years old.
  - Set a good example for your child. Wear your seatbelt, too.
- Play
  - Spend time playing games or sports with your child. Get to know his friends.
  - Know where your child is at all times. Check out the places he visits and plays regularly.
  - Buy toys and games that help him to learn rules, such as taking turns. Also buy things that help him to think and learn skills, such as reading and math.
  - Teach your child safety rules for riding his bike in the park, sidewalk and on the street. Make sure your child wears a bike helmet each time he rides.
  - Have him wear a helmet and safety gear for other sports, such as skateboarding and roller skating.
  - Do not allow your child to play in the street.
- Body safety
  - Teach your child:
    - No one should touch his private parts (parts covered by a bathing suit) except to keep him healthy, such as a doctor or nurse during a check-up.
    - Tell a trusted adult if something happens that makes them feel uncomfortable or unhappy.
    - Never keep secrets from you unless it is a good surprise, such as a birthday present.
- Outdoors
  - Teach your child how to swim and be safe in the water. Never leave your child alone in the water.

**In case of an urgent concern or emergency, call 911 or go to the nearest emergency department right away.**

## 8 – 9 year old check-up, continued

---

- Use a sunscreen and insect repellent that is safe for children. Use it each time he plays or swims outdoors during the day.
- Make sure your child wears shoes, even in the grass.

### FEEDING

- Eat meals as a family. Turn off the TV and cell phones.
- Keep meal time pleasant. Share news of the day, and talk together. Focus on family news and not on what or how much your child is eating.
- Stick to scheduled meal times and 1 to 2 snacks.
- Your child may enjoy growing a garden, reading about food and helping you cook.
- Your child's doctor may also advise that you give him a multivitamin each day.

### Meals

- Your child needs food from all food groups:
  - Lean meat, eggs, beans and cheese for protein
  - Fruits and vegetables for fiber, vitamins and minerals
  - Whole grains, such as cereal, pasta and whole grain bread for fiber, vitamins and minerals. At least half of the grains he eats should be whole grains.
  - Dairy foods, such as milk, cheese and yogurt for calcium.
- Fill half your child's plate with fruits and vegetables.
- Allow your child to choose how much to eat, and do not scold or nag him about what he is eating or not eating.
- Limit fast food meals and snacks. These foods add lots of fat, sugar, salt and calories but little nutrition.
- If your child takes a lunch to school:
  - Pack him foods from each of the food groups.
  - Let your child help you pack his lunch.
  - Freeze a water bottle and add it to the lunch box to keep foods cold.

### Snacks

- Give your child healthy snacks, such as fruits, raisins, string cheese (cheese sticks), whole wheat crackers, rice cakes and graham crackers.
- Avoid foods with lots of sugar, such as desserts, sweetened cereals and candy. Candy and sticky, sweet foods can cause tooth decay.

### Drinks

- Give your child low-fat or skim milk.

### SLEEP

- Have a regular bedtime and routine for your child.
- Read to your child each night before he goes to sleep.

**In case of an urgent concern or emergency, call 911 or go to the nearest emergency department right away.**

## 8 – 9 year old check-up, continued

---

### HEALTHY HABITS

You can help keep your child and your family healthy when you:

- Wash your hands often during the day. Teach your child and other family members to wash their hands often, too. Use warm water and soap and scrub for 20 seconds.
- Have your child bathe regularly. Have him brush his teeth with fluoride toothpaste each morning and at bedtime.
- Take your child to the dentist for regular check-ups.
- Make sure your child gets needed vaccines to help prevent disease.

Your child learns through play. Limit screen time to 1 or 2 hours a day. Some examples of screen time are:

- TV
  - Computers
  - Videogames
  - Tablet devices
  - Smart phones
- 
- Avoid giving fruit punch and 100% fruit juice to your child. It often has extra sugar he does not need. Try giving him pieces of whole fruit instead. If you do give him juice, only give your child 4 to 6 ounces a day. Dilute it so it is 1/2 water and 1/2 juice.
  - Also avoid giving soda, sports drinks, energy drinks and sweet tea to your child. Give water or diluted juice instead.
  - Whether inside or outside, give your child the chance to be active every day. Active play is good for all children. Your child should have 1 hour or more of physical activity daily.

For more information and tips on living a healthy lifestyle, you may go to [www.strong4life.com](http://www.strong4life.com).


### FOR YOUR CHILD'S NEXT VISIT

- You and your child's doctor can talk about how things are going with your child.
- Your child will have a physical examination (check-up) that may include getting vaccines. You will have a chance to ask questions.
- You may want to talk about your child's:
  - Eating and sleeping
  - Safety
  - Development
  - Behavior, time-out and discipline
  - School, friends and social skills

### THINGS FOR YOU TO DO

- Keep a record of when your child is ill or hurt. Share this record with your child's doctors.
- Make a list of questions to talk about with your child's doctor at the next visit.  
**Bring your child's shot (vaccine) record to your next visit.**

**In case of an urgent concern or emergency, call 911 or go to the nearest emergency department right away.**



Pediatric Associates, PC  
Pediatric Associates of Johns Creek, PC

## Checkup Schedule

---

Birth (In hospital).....	Hepatitis B
2-3 Days after Discharge.....	Newborn Exam
2 Week.....	Exam Only
1 Month.....	Exam, Hepatitis B
2 Month.....	Exam, DTaP, Hib, Polio, PCV, Rotavirus
4 Month.....	Exam, DTaP, Hib, Polio, PCV, Rotavirus
6 Month.....	Exam, DTaP, Hib, PCV, Rotavirus, CBC (Complete Blood Count)
9 Month.....	Exam, Hepatitis B, ASQ
12 Month.....	Exam, MMR, Varicella, Hepatitis A, CBC
15 Month.....	Exam, HIB, PCV
18 Month.....	Exam, DTaP, Polio, Hepatitis A, CBC, M-CHAT, ASQ
24 Month.....	Exam, CBC, M-CHAT
30 Month.....	Exam, ASQ
3 Year.....	Exam, CBC, Urinalysis
4 Year.....	Exam, CBC, Urinalysis, Hearing & Vision, DTaP, Polio, MMR, Varicella
5 Year.....	Exam, CBC, Urinalysis, Hearing & Vision, DTaP, Polio, MMR, Varicella (Vaccines given if not completed at 4 year visit.)
6-10 Years....	Exam, CBC, Urinalysis, Hearing & Vision as indicated
11 Year.....	Exam, CBC, Urinalysis, MCV4, Tdap, HPV*
12-15 Years..	Exam, CBC, Urinalysis, Hearing & Vision as indicated, HPV *
16 Year.....	Exam, CBC, Urinalysis, MCV4, Td, Men B, HPV *
17-25 Years...	Exam, CBC, Urinalysis, Hearing & Vision as indicated, Men B

- The Ages & Stages Questionnaire (**ASQ**) screens and assesses the developmental performance of children in the areas of communication, gross motor skills, fine motor skills, problem solving, and personal-social skills. It is used to identify children that would benefit from in-depth evaluation for developmental delays.
- The **M-CHAT** is a scientifically validated tool for screening children between 16 and 30 months of age that assesses risk for autism spectrum disorder (ASD).
- A Visual Evoked Potential (**VEP**) screening is conducted annually on our patients beginning at age six months through 8 years. The purpose of this test is the early detection of any abnormalities in your child's vision. We will provide you with further details regarding this non-invasive procedure when you arrive for your physical exam. You may also visit [www.Diopsys.com](http://www.Diopsys.com) to learn more.
- **Tdap-(Tetanus, Diphtheria, & Pertussis Vaccine)**: This vaccine is recommended for children 10 years of age and older. Due to an increase in diagnosed Pertussis (Whooping Cough) cases, this booster is now required for school attendance.
- **MCV4-(Meningococcal Vaccine)**: This vaccine is recommended for children 11 years of age and older. A booster dose is recommended before entering college.
- **Men B (Meningococcal B)**-This vaccine is recommended for patients 16 years of age and older. This vaccine is given in a 2-part series and is recommended before entering college.
- We offer the **\*HPV (Human Papillomavirus vaccine)** to both our female and male patients. This vaccine is given in a 2 or 3-part series depending on what age the series is started.

Click here to visit **The Centers For Disease Control and Prevention** website at [www.CDC.gov](http://www.CDC.gov) to download important vaccine information which may answer any questions you have concerning a particular vaccine.

# Dosing On Call

Dosing for infants and children from your healthcare professional

**DOSE: Every 4 hours as needed. DO NOT GIVE MORE THAN 5 DOSES IN 24 HOURS.**

If possible, use weight to dose; otherwise, use age.  
Do NOT use with any other product containing acetaminophen.

## Infants' TYLENOL® Oral Suspension

Active ingredient: acetaminophen 160 mg (in each 5 mL)

Available in:  
Grape • Cherry • Die-Free Cherry

WEIGHT	6-11 lbs	12-17 lbs	18-23 lbs	24-35 lbs
AGE	0-3 months	4-11 months	12-23 months	2-3 years
DOSE	1.25 mL	2.5 mL	3.75 mL	5 mL



## Infants' MOTRIN® Concentrated Drops

Active ingredient: ibuprofen (NSAID)\* 50 mg (in each 1.25 mL)

Available in:  
Berry • Die-Free Berry

WEIGHT	12-17 lbs	18-23 lbs
AGE	6-11 months	12-23 months
DOSE	1.25 mL	1.875 mL



## Children's TYLENOL® Oral Suspension

Active ingredient: acetaminophen 160 mg (in each 5 mL)

Available in:  
Grape • Bubblegum • Strawberry • Cherry • Die-Free Cherry

WEIGHT	24-35 lbs	36-47 lbs	48-59 lbs	60-71 lbs	72-95 lbs
AGE	2-3 years	4-5 years	6-8 years	9-10 years	11 years
DOSE	5 mL	7.5 mL	10 mL	12.5 mL	15 mL



## Children's MOTRIN® Oral Suspension

Active ingredient: ibuprofen (NSAID)\* 100 mg (in each 5 mL)

Available in:  
Grape • Bubblegum • Berry • Die-Free Berry

WEIGHT	24-35 lbs	36-47 lbs	48-59 lbs	60-71 lbs	72-95 lbs
AGE	2-3 years	4-5 years	6-8 years	9-10 years	11 years
DOSE	5 mL	7.5 mL	10 mL	12.5 mL	15 mL



## Children's TYLENOL® Chewables

Active ingredient: acetaminophen 160 mg (in each chewable tablet)

Available in:  
Grape • Bubblegum

WEIGHT	24-35 lbs	36-47 lbs	48-59 lbs	60-71 lbs	72-95 lbs
AGE	2-3 years	4-5 years	6-8 years	9-10 years	11 years
DOSE	1 tablet	1½ tablets	2 tablets	2½ tablets	3 tablets



## Children's MOTRIN® Chewables

Active ingredient: ibuprofen (NSAID)\* 100 mg (in each chewable tablet)

Available in:  
Grape • Die-Free Grape

WEIGHT	24-35 lbs	36-47 lbs	48-59 lbs	60-71 lbs	72-95 lbs
AGE	2-3 years	4-5 years	6-8 years	9-10 years	11 years
DOSE	1 tablet	1½ tablets	2 tablets	2½ tablets	3 tablets



## Children's TYLENOL® Dissolve Packs

Active ingredient: acetaminophen 160 mg (in each pack)

Available in:  
Wild Berry

WEIGHT	under 48 lbs	48-59 lbs	60-71 lbs	72-95 lbs
AGE	under 6 years	6-8 years	9-10 years	11 years
DOSE	do not use	2 powders	2 powders	3 powders



All Infants' TYLENOL® and Children's TYLENOL® products have the same strength of acetaminophen: **160 mg** (in each 5 mL, tablet, or pack).

mL = milliliter

**DOSE: Every 6-8 hours as needed. DO NOT GIVE MORE THAN 4 DOSES IN 24 HOURS.**  
If possible, use weight to dose; otherwise, use age.

## IMPORTANT INSTRUCTIONS FOR PROPER USE

- Today's date: \_\_\_\_\_
- This dosing recommendation from your healthcare professional will expire in **14 DAYS**.
- Always read and follow the label on all TYLENOL® and MOTRIN® products.
  - Use only the dosing device (dosing syringe or dosing cup) that came with the product. Do not use any other dosing device.

Rely on TYLENOL® and MOTRIN®, the two brands of pain and fever relievers that pediatricians recommend most.†

# Always On Call