

10427 Cogdill Road, Suite 500 Knoxville, TN, 37932, US DEA Number: RK0595249

## Certificate of Analysis

Apr 07, 2022 | Mister Sweets

Melbourne, FL, 32935, US

## Kaycha Labs ■ 🚉 🖫 🔳

HHC UNSWEET N/A



Matrix: Derivative

Sample: KN20331010-001 Harvest/Lot ID: 02222022UNSWHHC

Batch#: 02222022UNSWHHC

Seed to Sale# N/A Batch Date: 02/22/22

Sample Size Received: 14 gram Total Weight/Volume: N/A

Retail Product Size: 2 gram ordered: 03/29/22 sampled: 03/29/22

Completed: 04/07/22 Expires: 04/07/23 Sampling Method: SOP Client Method

PASSED

**PRODUCT IMAGE** 

**SAFETY RESULTS** 







Heavy Metals

PASSED



**PASSED** 



Mycotoxins

**PASSED** 



Solvents

**TESTED** 



**PASSED** 



Water Activity



Moisture

NOT TESTED



**NOT TESTED** 

**PASSED** 

MISC.

Cannabinoid

**Total HHC** 

8.471%







**Total Cannabinoids** 21.607%





Analyzed by	Weight	Extraction date :		Extracted By
1	0.2145g	03/31/22 01:03:58		113
Analysis Method - Expanded Measurement of Uncertainty: Flower Matrix d9-THC:12.7%, THCa: 9.5%, TOTAL THC 11. 1%. These uncertainties represent an expanded uncertainty expressed at Reviewed On - 04/01/22				
				Batch Date: 03/31/22 10:22:31

321.R04; 033122.R01; 031822.R11

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

State License # n/a ISO Accreditation # 17025:2017



04/07/22

Signature

Signed On